



# THE 603GC



## 603GC PORTABLE AND AFFORDABLE VERSATILITY

The 603GC is designed to be an affordable, light-duty work-horse. The sturdy 64 cc engine, with its advanced rear-ported, multi-chamber air filtration cranks out more than enough power to make plunge cuts up to 10 inches (25 cm) deep. An expert tool at an entry level price and weighing in at less than 18 lbs (8 kg), the 603GC is a handy member of any crew.

### 603GC PRODUCT SPECIFICATIONS

<b>WEIGHT</b>	17.6 lbs (8.0 kg) with bar and chain
<b>BAR LENGTH</b>	10 in (25 cm)
<b>ENGINE SPEED</b>	11500 +/- 500 rpm, 2800-3200 rpm idle
<b>HORSEPOWER</b>	4.2 hp (3.1 kW) @ 9500 rpm
<b>ENGINE TYPE</b>	2-stroke, single cylinder, air cooled
<b>DISPLACEMENT</b>	3.9 cu inch (64 cc)
<b>POWERHEAD DIMENSIONS</b>	17 in (44 cm) length 10 in (25.5 cm) height 11.6 in (29.5 cm) width
<b>NOISE LEVEL</b>	101 dB @ 3 ft (1 m)
<b>VIBRATION LEVEL</b>	10.1 meters/second <sup>2</sup> (front handle)
<b>WATER SUPPLY</b>	Minimum 20 psi (1.5 bar)
<b>FUEL MIX RATIO</b>	25:1 (4%) fuel-to-oil
<b>FUEL CAPACITY</b>	0.26 gallons (1 liter), 12-15 minutes run time per tank

### SAW SELECTION

In addition to cutting depth and power requirements, estimated frequency of use is important when selecting a saw. Use the chart below to determine the right saw for your cutting needs.

	DAILY	WEEKLY	MONTHLY	QUARTERLY
<b>603GC</b>	_____	_____	_____	_____
<b>680GC</b>	_____	_____	_____	_____
<b>633GC/633F4</b>	_____	_____	_____	_____
<b>814PRO</b>	_____	_____	_____	_____
<b>880F4</b>	_____	_____	_____	_____

